PASTE AND EXTENDER PVC GRADES

Westlake Vinnolit

®Vinnolit Grade	Paste Grade	Blending Resin	VC/VAC-Copolymer	K-Value	Coating											Metal Coating				Dipping		Rotational Moulding		Special Requirements							
					Flooring				Wall-covering		Artificial Leather			Textile Coating																	
					Top Coat	Inhibition Foam	Base Coat	Backside Foam	Foam	Compact	Foam Layer	Top Coat	Lamination Coat	Base Coat	Top Coat	Automotive Under-body Coating Seam	Can Coating	Coil Coating	Cap Closures	Glove Dipping	General Dipping	Toys	Balls	Low Fogging	Viscosity Control	Enhanced Fusion	Contact Gelation	Surface Matting	Low Water Absorption	Outstanding Transparency	Ink printing
E 67 ST	x			67		○		●	●	○	●		●									○	○								
E 68 CF	x			68		●	○	●			●	●	●	○	○							●	●				●				
E 68 CT	x			68					●	○	●	○	●																		
E 68 SA	x			68				●	○		●	○	●									●	●								
E 69 ST	x			68					●	○	●		●																		
E 69 VS	x			68							●		●	○		●									●						●
MP 6852	x			68		●	○	●	○	○	●	○	○					●			●	○	○								
M 68 FW	x			68		●	○	●	○	○	●	○	●									●	●				●				
EP 6953 G	x			69		●	●	○			○	○	○						○												
E 70 CQ	x			70									●	●	○	●									●						
E 70 TT	x			70	●		○					●	○	●	●			○			○	●	●					○	●	●	
P 70	x			70	●					○		●		●	●		●	●	●	●	●	●	●						●	●	●
P 70 F	x			70													●	●	●	●	●								●	●	●
P 70 HT	x			70										●	●						●								●	●	
P 70 PS	x			70										●	●						○								●	●	
MP 7151	x			71	○		●			●		●	●	●	●					●	●	●	●								
P 4472	x			72			●			●			○											○			●				
E 75 HV	x			73							●	○	●	○	○	○								●	●						
E 75 SK	x			73				○			●	●												●							
E 74 CC	x			74							●	●	●											●							
P 5078	x			78			●			○		○							○					●			●				
E 80 TT	x			80	●		○					●			○			○		○		○	○				●	●	●	●	
P 80	x			80	●					○					○			●	●	○	●	○	○	○					●	●	
MP 8058	x			81	●							○			○				●									●				
PA 5470/5	x		x	69			○	○			○		●			●						○	○	●		●						
E 70 SC	x		x	70			○	○			○		●	○		●						○	○			●						○
C 100 V		x		-	●					●		●			●			●					●	●			●	●	●		
C 65 V		x		65	●	●	●	●	○	○	●	●		○	●	●	○	○	○					●	●		●	●	●	●		
EXT		x		66	●	●	●	●	●	●	●	●		○	●	●	●	●	●		●	○		●	●		●	●	●	●		
SA 1062/7		x	x	61												●									●	●					
C 12/62 V		x	x	62								○				●			●						●	●					

● Recommended ○ Potential

®Vinnolit = registered trademark of Westlake Vinnolit GmbH Co. KG, Germany

Update: July 2025