

| Mate  | rial: NATRONLA  | NATRONLAUGE 50%   |  |  |  |  |  |  |
|-------|---|---|--|--|--|--|--|--|
| Versi | on 1.5 (GHS_INT)  | Print Date 18.10.2023   | Date of last alteration: 17.10.2023                                      |  |  |  |  |  |
| SEC   | SECTION 1: Identification of the substance/mixture and of the company/undertaking   |   |  |  |  |  |  |  |
| 1.1   | Product identifier  |   |  |  |  |  |  |  |
|       | Commercial product name:  | NATRONLAUGE 50%   |  |  |  |  |  |  |
| 1.2   | Relevant identified uses of the substance of  | or mixture and uses advised against   |  |  |  |  |  |  |
|       | Use of substance / preparation:<br>Industrial.<br>base chemical   |   |  |  |  |  |  |  |
| 1.3   | Details of the supplier of the safety data sh   | eet   |  |  |  |  |  |  |
|       | Manufacturer/distributor:<br>Street/POB-No.:<br>Postal code/city:<br>Country:<br>Telephone:<br>Telefax:                   | Westlake Vinnolit GmbH & Co. KG<br>Carl-Zeiss-Ring 25<br>85737 Ismaning<br>Germany<br>+49 89 96-103-0<br>+49 89 96-103-103              |  |  |  |  |  |  |
|       | Information about the Safety Data Sheet:  | Telephone<br>eMail  | +49 8679 3060-5680<br>sdb@westlakevinnolit.com                           |  |  |  |  |  |
| 1.4   | Emergency telephone number  |   |  |  |  |  |  |  |
|       | Emergency Information (German):<br>Emergency Information (internat.):<br>Emergency Information:<br>Emergency Information: | Plant fire brigade<br>National Response Center<br>Caribbean, Central America and South<br>America except Chile and Colombia<br>Pakistan | +49 8677 83-2222<br>+49 621 60-43333<br>+1 646 844 7309<br>+65 3158 1329 |  |  |  |  |  |
|       | Emergency Information:<br>Emergency Information:<br>Emergency Information:  | Bangladesh<br>East Asia and Southeast Asia except Sri<br>Lanka, Bangladesh and Pakistan<br>Sri Lanka                                    | +65 3158 1200<br>+65 3158 1074<br>+65 3158 1195                          |  |  |  |  |  |
|       |   |   |  |  |  |  |  |  |

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

| Classification                                | H-Code |
|---|--------|
| Corrosive to metals, Category 1               | H290   |
| Serious eye damage/eye irritation, Category 1 | H318   |
| Skin corrosion/irritation, Category 1A        | H314   |

# 2.2 Label elements

Pictogram(s):



# Signal Word: Danger

| H-Code | Hazard Statements                        |
|--------|--|
| H290   | May be corrosive to metals.              |
| H314   | Causes severe skin burns and eye damage. |



# Material:

# NATRONLAUGE 50%

Version 1.5 (GHS\_INT)

Print Date 18.10.2023

Date of last alteration: 17.10.2023

| P-Code        | Precautionary Statements   |  |
|---------------|--|--|
| P260          | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  |  |
| P280          | Wear protective gloves/protective clothing/eye protection.   |  |
| P234          | Keep only in original packaging.   |  |
| P303 + P361 + | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.       |  |
| P353          |  |  |
| P305 + P351 + | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to |  |
| P338          | do. Continue rinsing.  |  |
| P310          | Immediately call a POISON CENTER/ doctor.  |  |
| P390          | Absorb spillage to prevent material damage.  |  |
| P406          | Store in a corrosion resistant container with a resistant inner liner.                                     |  |
| P405          | Store locked up.   |  |
| P501          | Dispose of contents/container to waste disposal.   |  |

## 2.3 Other hazards

No data available.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

# 3.1 Substances

not applicable

#### 3.2 Mixtures

# 3.2.1 Chemical characteristics

Sodium hydroxide + water

# 3.2.2 Hazardous ingredients

| Туре | CAS No.   | Substance        | Content % |
|------|-----------|------------------|-----------|
| INHA | 1310-73-2 | Sodium hydroxide | 50        |

Type: INHA: ingredient, VERU: impurity

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above  $\geq 0.1\%$ .

# SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### General information:

Take persons to a safe place. Observe self-protection for first aid. Always seek medical advice in the event of contact with this substance.

#### After contact with the eyes:

Rinse immediately with plenty of water for 10-15 minutes. Keep eyelids well open to rinse the whole eye surface and eyelids with water. Seek medical advice immediately and clearly identify substance. Continue to bathe eyes during transport to medical practitioner.

#### After contact with the skin:

Remove contaminated clothes at once. Wash off with plenty of water or water and soap immediately for 10-15 minutes. In serious cases, use emergency shower immediately. Seek medical advice immediately and clearly identify substance.

# Material:

# NATRONLAUGE 50%

Version 1.5 (GHS\_INT)

Print Date 18.10.2023

Date of last alteration: 17.10.2023

V/estlake

# After inhalation:

Keep the patient calm. If unconscious place in stable sideways position. Protect against loss of body heat. If breathing stops, administer artificial respiration. Seek medical advice immediately and clearly identify substance.

#### After swallowing:

If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice immediately and clearly identify substance.

## 4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

## 4.3 Indication of any immediate medical attention and special treatment needed

After inhalation: treat as early as possible using cortisone spray. Medical checks necessary up to a latency period of at least 24 hours. In the event of 1st degree burns use corticoid-externa. In the case of 2nd degree burns, use symptomatic treatment. Further toxicology information in section 11 must be observed.

# SECTION 5: Firefighting measures

## 5.1 Extinguishing media

## Suitable extinguishing media:

Use extinguishing measures appropriate to the source of fire.

Extinguishing media which must not be used for safety reasons: According to our present state of knowledge: none known

#### 5.2 Special hazards arising from the substance or mixture

corrosive substances . Ambient fire may lead to hazardous fumes.

#### 5.3 Advice for firefighters

#### Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. See section 8.

#### General information:

Product does not burn. Use extinguishing measures appropriate to the source of the fire.

# SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (see section 8). Avoid contact with eyes and skin. Avoid inhaling mists and vapours. Keep unprotected persons away.

#### 6.2 Environmental precautions

Prevent material from entering sewers or surface waters. Contain any fluid that runs out using suitable material (e.g. earth).

## 6.3 Methods and material for containment and cleaning up

Absorb with a liquid binding material such as diatomaceous earth and dispose of according to local/state/federal regulations. Dilute with plenty of water and dispose of according to local/state/federal regulations.

# 6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

# Precautions for safe handling:

Keep away from incompatible substances in accordance with section 10. Spilled substance increases risk of slipping.

#### Precautions against fire and explosion:

In the event of contact with light metals, hydrogen gas may form (risk of explosion!).



### Material:

# NATRONLAUGE 50%

Version 1.5 (GHS\_INT)

Print Date 18.10.2023

Date of last alteration: 17.10.2023

## 7.2 Conditions for safe storage, including any incompatibilities

## Conditions for storage rooms and vessels:

Do not store in containers made of aluminum or other light metals. Do not store in containers coated with zinc.

# Advice for storage of incompatible materials:

Avoid contact with acids.

Further information for storage:

Keep container tightly closed.

## Minimum temperature allowed during storage and transportation: 15 °C

#### 7.3 Specific end use(s)

No data available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Maximum airborne concentrations at the workplace:

| Substance                    | Туре | mg/m <sup>3</sup> | ppm | Dust fract. | Fibre/m <sup>3</sup> |
|------------------------------|------|-------------------|-----|-------------|----------------------|
| Aerosol - inhalable fraction |      | 10,0              |     |             |                      |

The aerosol limit specified is a recommendation should aerosol be formed during processing.

# 8.2 Exposure controls

## 8.2.1 Exposure in the work place limited and controlled

#### General protection and hygiene measures:

Avoid contact with eyes and skin. Do not breathe vapours. Do not eat or drink when handling. Wash hands at the end of work and before eating. Keep working clothes separately.

### Further information for system design and engineering measures

Observe information in section 7.

# Personal protection equipment:

#### **Respiratory protection**

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapors; ammonia/amines), according to acknowledged standards such as EN 14387

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Combined filter type ABEK-P2 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged standards such as EN 14387

For long or intense exposure, use respiratory protective equipment. Suitable respiratory equipment: Positive pressure self contained breathing apparatus, according to acknowledged standards such as EN 137.

Observe the equipment manufacturer's information and wear time limits for respirators.

#### Eye protection

tight fitting protective goggles, according to acknowledged standards such as EN 166.

#### Hand protection

Protective gloves are required at all times when handling the material, according to recognized standards such as EN374.

Recommended glove types: Protective gloves made of nitrile rubber thickness of the material: > 0,1 mm Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of butyl rubber thickness of the material: > 0,3 mm

# Material:

#### NATRONLAUGE 50%

Version 1.5 (GHS\_INT)

Print Date 18.10.2023

Date of last alteration: 17.10.2023

V/estlake

Vinnolit

Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

# Skin protection

Chemical protective clothing, according to acknowledged standards such as EN 13034, full-body liquid-tight protection if necessary, according to acknowledged standards such as EN 14605, if handled uncovered. Please observe the instructions regarding permeability time which are provided by the supplier. Wear PVC boots.

### 8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters and soil. Do not introduce large amounts into purification plants. Normally neutralisation is required before waste water is introduced into purification plants.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

| Property:                                    | Value:                | Method:     |
|--|-----------------------|-------------|
| Appearance                                   | 1 I                   |             |
| Physical state                               | 1                     |             |
| Granulometry                                 |                       |             |
| Colour:                                      | colourless            |             |
| Odour  |                       |             |
| Odour:                                       | odourless             |             |
| Odour limit                                  |                       |             |
| Odour limit:                                 | no data available     |             |
| pH-Value                                     |                       |             |
| pH-Value:                                    | 14 at 20 °C (100 %)   |             |
| Melting point/freezing point                 |                       |             |
| Melting point / melting range                | 12 °C                 |             |
| Initial boiling point and boiling range      |                       |             |
| Boiling point / boiling range                | 143 °C at 1013 hPa    |             |
| Flash point                                  |                       |             |
| Flash point                                  | exempt                |             |
| Evaporation rate                             | ·                     |             |
| Evaporation rate                             | no data available     |             |
| Upper/lower flammability or explosive limits |                       |             |
| Lower explosion limit (LEL)                  | exempt                |             |
| Upper explosion limit (UEL)                  |                       |             |
| Vapour pressure                              | •                     |             |
| Vapour pressure                              | 18.7 hPa / 60 °C      |             |
| Vapour pressure                              |                       |             |
| Vapour pressure                              |                       |             |
| Solubility(ies)                              | ,                     |             |
| Water solubility / miscibility:              | completely miscible   |             |
| Vapour density                               | p                     |             |
| Relative gas/vapour density:                 | no data available     |             |
| Relative Density                             |                       |             |
| Relative Density:                            | 1 525 (20 °C)         | (DIN 51757) |
|  | (Water / 4 °C = 1,00) |             |
| Density:                                     |                       | (DIN 51757) |
| Partition coefficient: n-octanol/water       | 1,020 g/off (20 °C)   |             |
| Partition coefficient: n-octanol/water:      | no data available     |             |
| Auto-ignition temperature                    |                       |             |
| Ignition temperature                         | Not applicable        |             |
| Auto-ignition temperature                    |                       |             |
| Decomposition temperature                    | exempt                |             |
| Thermal decomposition                        | oxompt                |             |
| กายกาล นองกายจรแบก                           | evenihr               |             |
|  |                       |             |



Date of last alteration: 17.10.2023

# Safety Data Sheet

# Material:

### NATRONLAUGE 50%

| Version 1.5 (GHS_INT)   | Print Date 18.10.2023 |
|---|-----------------------|
| Viscosity<br>Viscosity (dynamic)<br>Viscosity (kinematic)<br>Explosive properties |                       |

Explosive properties .....: exempt

#### 

**Oxidizing properties** 

#### 9.2 Other information

No data available.

# SECTION 10: Stability and reactivity

# 10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

## 10.4 Conditions to avoid

Keep away from incompatible substances.

# 10.5 Incompatible materials

Reacts with water, acids. The reaction takes place with the formation of heat. Reacts with light metals, light metal alloys, zinc and tin. The reaction takes place with the formation of hydrogen.

#### 10.6 Hazardous decomposition products

If stored and handled properly: none known.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# 11.1.1 Acute toxicity

#### Assessment:

Based on the corrosive properties an examination of this toxicological endpoint is not necessary.

# Acute toxicity estimate (ATE):

ATE<sub>mix</sub> (Oral): > 2000 mg/kg

# 11.1.2 Skin corrosion/irritation

#### Assessment:

After contact to the skin strong corrosion of the skin are to be expected.

#### Product details:

severe burns (Species: Rabbit, Source: literature)

# 11.1.3 Serious eye damage/eye irritation

#### Assessment:

Based on the corrosive properties an examination of this toxicological endpoint is not necessary.

# 11.1.4 Respiratory or skin sensitisation

#### Assessment:

Based on the available data a sensitization reaction is not expected from this product.



# Material:

# **NATRONLAUGE 50%**

Version 1.5 (GHS\_INT)

Print Date 18.10.2023

Date of last alteration: 17.10.2023

# 11.1.5 Germ cell mutagenicity

# Assessment:

According to our present state of knowledge not mutagenic.

negative (Test system: mutation assay (in vitro) / bacterial cells, Method: OECD 471, Source: literature) equivocal (Test system: mutation assay (in vitro) / mammalian cells, Method: OECD 476, Source: literature) negative (Test system: micro nucleus assay (in vivo), Method: OECD 474, Source: literature)

# 11.1.6 Carcinogenicity

# Assessment:

For this endpoint no toxicological test data is available for the whole product.

# 11.1.7 Reproductive toxicity

## Assessment:

For this endpoint no toxicological test data is available for the whole product.

# 11.1.8 Specific target organ toxicity - single exposure

## Assessment:

For this endpoint no toxicological test data is available for the whole product.

# 11.1.9 Specific target organ toxicity - repeated exposure

# Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.10 Aspiration hazard

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

# 11.2 Information on other hazards

# 11.2.1 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 11.2.2 Further toxicological information

Danger of blindness by eye contact!

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Assessment:

Harmful effect through pH-shift.

## Product details:

| Result/Effect   | Species/Test system                    | Source |
|-----------------|--|--------|
| EC50: 40,4 mg/l | Ceriodaphnia dubia (water flea) (48 h) | ECHA   |

# 12.2 Persistence and degradability

Assessment:

Not applicable.



#### Material:

# NATRONLAUGE 50%

Version 1.5 (GHS\_INT)

Print Date 18.10.2023

Date of last alteration: 17.10.2023

## 12.3 Bioaccumulative potential

#### Assessment:

Bioaccumulation is not expected to occur. No adverse effects expected.

# 12.4 Mobility in soil

Assessment:

No data known.

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

none known

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

## 13.1.1 Material

Recommendation:

Ensure special chem./phys. treatment after discussion with the supplier. Observe local/state/federal regulations.

# 13.1.2 Uncleaned packaging

# Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations.

Recommended cleaning agent: water

# SECTION 14: Transport information

#### **14.1** UN number or ID number

| A  | DR      | UN1824 |
|----|---------|--------|
| RI | D       | UN1824 |
| IM | DG      | UN1824 |
| IC | AO/IATA | UN1824 |

#### **14.2** Proper shipping name

| ADR<br>ADR (Domestic transport regulations):<br>RID | Sodium hydroxide solution<br>Natriumhydroxidlösung |
|---|--|
| RID (Domestic transport regulations):               |  |
| IMDG  | Sodium hydroxide solution                          |
| ICAO/IATA   | Sodium hydroxide solution                          |

#### 14.3 Transport hazard class

| ADR       | 8                           |
|-----------|-----------------------------|
|           | (Limited quantity (LQ): 1L) |
| RID:      | 8                           |
| IMDG      | 8                           |
| ICAO/IATA | 8                           |

# Material:

## NATRONLAUGE 50%

Version 1.5 (GHS\_INT)

Print Date 18.10.2023

Date of last alteration: 17.10.2023

V/estlake

Vinnolit

## 14.4 Packing group

| ADR:      | II |
|-----------|----|
| RID:      | Ш  |
| IMDG      |    |
| ICAO/IATA | II |

## 14.5 Environmental hazards

Environmentally hazardous: no Marine pollutant (IMDG): no

# 14.6 Special precautions for user

Relevant information in other sections has to be considered.

# 14.7 Maritime transport in bulk according to IMO instruments

Bulk transport in tankers is not intended.

# SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

# 15.2 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

| Japan:                          | ENCS (Handbook of Existing and New Chemical Substances):                                |
|---------------------------------|---|
|                                 | This product is listed in, or complies with, the substance inventory.                   |
| Australia                       | AIIC (Australian Inventory of Industrial Chemicals):                                    |
|                                 | This product is listed in, or complies with, the substance inventory.                   |
| China:                          | IECSC (Inventory of Existing Chemical Substances in China):                             |
|                                 | This product is listed in, or complies with, the substance inventory.                   |
| Canada:                         |   |
|                                 | This product is listed in, or complies with, the substance inventory.                   |
| Philippines:                    | PICCS (Philippine Inventory of Chemicals and Chemical Substances):                      |
|                                 | This product is listed in, or complies with, the substance inventory.                   |
| United States of America (USA): | <b>TSCA</b> (Toxic Substance Control Act Chemical Substance Inventory):                 |
|                                 | All components of this product are listed as active or are in compliance with the       |
|                                 | substance inventory.  |
| Taiwan:                         | TCSI (Taiwan Chemical Substance Inventory):   |
|                                 | This product is listed in, or complies with, the substance inventory. General note:     |
|                                 | The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed      |
|                                 | or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan            |
|                                 | exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each         |
|                                 | ingredient). It is the duty of the importing/manufacturing legal entity to take care of |
|                                 | this obligation.  |
| European Economic Area (EEA):   | <b>REACH</b> (Regulation (EC) No 1907/2006):  |
|                                 | General note: the registration obligations for substances imported into the EEA or      |
|                                 | manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by     |
|                                 | the said supplier. The registration obligations for substances imported into the EEA    |
|                                 |   |
| South Karoo (Donublic of Karoo) | by customers or other downstream users must be fulfilled by the latter.                 |
| South Korea (Republic of Korea) | <b>AREC</b> (Act on Registration and Evaluation of Chemicals; "K-REACH"):               |
|                                 | Please approach your regular contact for more detailed information.                     |

# Material:

#### NATRONLAUGE 50%

Version 1.5 (GHS\_INT)

Print Date 18.10.2023

Date of last alteration: 17.10.2023

V/estlake

Vinnolit

# **SECTION 16: Other information**

#### 16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

# 16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

| Classification                                | Rationale:         |
|---|--------------------|
| Corrosive to metals, Category 1               | Calculation method |
| Serious eye damage/eye irritation, Category 1 | Calculation method |
| Skin corrosion/irritation, Category 1A        | Calculation method |

- End of Safety Data Sheet -